




SLA-12VDC-SL-C 30A/250VAC Power Relay

This relay allows you to control high voltage and high current devices, like the heater, air conditioner and high power home appliances. The relay is capable to work with voltages up to 250VAC/30A, making it ideal for home automation.




SKU: [EMH1013](#)

Brief Data:

- Part No: SLA-05VDC-SL-C, SLA-12VDC-SL-C
- Relay Maximum output: 250VAC/30A.
- Configuration: Single Pole Double Throw (SPDT).
- Number of Pins: 6-Pins Version.
- Coil Voltage: 5Vdc & 12Vdc.
- Contact Resistance: 100m Ω Max.
- Operation Time: 15msec Max.
- Release Time: 10msec Max.
- Dielectric Strength:
 - Between coil & contact: 2000VAC.
 - Between contacts: 1500VAC
- Insulation Resistance: 100M Ω Min. (500VDC)

Operating Principle:


See the picture below: A is an electromagnet, B armature, C spring, D moving contact, and E fixed contacts. There are two fixed contacts, a normally closed one and a normally open one. When the coil is not energized, the normally open contact is the one that is off, while the normally closed one is the other that is on.



Supply voltage to the coil and some currents will pass through the coil thus generating the electromagnetic effect. So the armature overcomes the tension of the spring and is attracted to the core, thus closing the moving contact of the armature and the normally open (NO) contact or you may say releasing the former and the normally closed (NC) contact. After the coil is de-energized, the electromagnetic force disappears and the armature moves back to the original position, releasing the moving contact and normally closed contact. The closing and releasing of the contacts results in power on and off of the circuit.

Mechanical Dimension:

Unit: mm





Handsontec.com

We have the parts for your ideas

HandsOn Technology provides a multimedia and interactive platform for everyone interested in electronics. From beginner to diehard, from student to lecturer. Information, education, inspiration and entertainment. Analog and digital, practical and theoretical; software and hardware.



open source
hardware

HandsOn Technology support Open Source Hardware (OSHW) Development Platform.

Learn : Design : Share

handsontec.com



The Face behind our product quality...

In a world of constant change and continuous technological development, a new or replacement product is never far away – and they all need to be tested.

Many vendors simply import and sell without checks and this cannot be the ultimate interests of anyone, particularly the customer. Every part sell on Handsotec is fully tested. So when buying from Handsotec products range, you can be confident you're getting outstanding quality and value.

We keep adding the new parts so that you can get rolling on your next project.



www.handsontec.com

[Breakout Boards & Modules](#)



[Connectors](#)



www.handsontec.com

[Electro-Mechanical Parts](#)



www.handsontec.com

[Engineering Material](#)



www.handsontec.com

[Mechanical Hardware](#)



[Electronics Components](#)

P



www.handsontec.com

[Power Supply](#)



[Arduino Board & Shield](#)

Tools & Accessory



www.handsontec.com

[Tools & Accessory](#)