



Data Specs

2-Pole IP44 Connector Kit – Dis-Connectable

This is 2-pole dis-connectable cable kit with IP44 grade. A product that has a rating of IP44 means that it is protected against solid objects that are bigger than 1mm and water splashing from all directions.



SKU: CON1182

Brief Data:

- Product Name: IP44 Connector Cable Kit.
- Water Proof: Water Splashing from all direction.
- Connecting Type: Dis-Connectable.
- Current rating: 3A AC/DC max.
- Voltage rating: 230V AC/DC max.
- Wire Gauge: 20AWG.
- Connector Type: 2-Pole Male/Female
- Cable Length: 160mm.
- Insulator Cover Color: Black.

Mechanical Dimension:

Unit: mm





Handsontec.com

We have the parts for your ideas

HandsOn Technology provides a multimedia and interactive platform for everyone interested in electronics. From beginner to diehard, from student to lecturer. Information, education, inspiration and entertainment. Analog and digital, practical and theoretical; software and hardware.



open source
hardware

HandsOn Technology support Open Source Hardware (OSHW)
Development Platform.

Learn : Design : Share

handsontec.com



The Face behind our product quality...

In a world of constant change and continuous technological development, a new or replacement product is never far away – and they all need to be tested.

Many vendors simply import and sell without checks and this cannot be the ultimate interests of anyone, particularly the customer. Every part sold on Handsontec is fully tested. So when buying from Handsontec products range, you can be confident you're getting outstanding quality and value.

We keep adding the new parts so that you can get rolling on your next project.



www.handsontec.com

[Breakout Boards & Modules](#)



[Connectors](#)



[Electro-Mechanical Parts](#)



[Engineering Material](#)



www.handsontec.com

[Mechanical Hardware](#)



[Electronics Components](#)

P



www.handsontec.com

[Power Supply](#)



[Arduino Board & Shield](#)

Tools & Accessory



www.handsontec.com

[Tools & Accessory](#)